



Professional Testing Labs, Inc

4918 Crater Lake Ave.
Medford, OR 97504
(541) 816-4166
OLCC# 10156338460


Certificate of Analysis

For informational purposes only
Not for regulatory compliance

Report Number: 211119rda_5_211124
Report Date: 1/10/2024

| Oatmeal CBD Arnica Bath Salt 100mg 4oz | |
|---|---------------------------|
| Sample Type: Topical | Client: Miltors Leaf |
| Lab Sample ID: 211119rda_5 | Date Received: 12/20/2023 |
| Sampling Method: SOP 033 | |
| Testing Performed: PO | |
| Comments: Total CBD in Product: 118.2mg | |

| Cannabinoid Analysis | | | |
|-----------------------------|------------------|-------------|--|
| Date: 12/27/2023 | Batch: 211122rda | Analyst: EB | SOP 041 |
| Analyte | % Dry Weight | LOQ (%) | Notes |
| CBDA | <LOQ | 0.030 | |
| CBD | 0.151 | 0.030 | |
| THC | <LOQ | 0.030 | |
| THCA | <LOQ | 0.030 | |
| CBGA | <LOQ | 0.030 | |
| CBG | <LOQ | 0.030 | |
| CBN | <LOQ | 0.030 | |
| Δ8-THC | <LOQ | 0.030 | |
| Δ10-THC | <LOQ | 0.030 | |
| CBC | <LOQ | 0.030 | |
| CBCA | <LOQ | 0.030 | |
| Total CBD | 0.151 | N/A | (CBDA*0.877)+CBD= Total CBD |
| Total THC | <LOQ | N/A | (THCA*0.877)+THC= Total THC |
| Total Cannabinoids | 0.151 | N/A | Cumulative Potency All Cannabinoids = Total Cannabinoids |



| Moisture Content - NT |
|------------------------------|
| Date: N/A |
| Analyst: N/A |
| Moisture Content (%): |

| Moisture Content - NT |
|------------------------------|
| Date: N/A |
| Analyst: N/A |
| Water Activity (aw): |

Approved by/date:  1/10/2024
Elijah Ballantyne
Lab Manager

LOQ = Limit of Quantitation, ND = Not Detected NT = Not Tested. Total THC and Total CBD are calculated in accordance with Oregon reporting requirement (OAR 333-064-0100). For cannabinoid analysis, only CBDA, CBD, THC, and THCA are ORELAP accredited analytes. Cannabinoid values reported for plant matter are corrected for dry weight. Oregon water activity action level is 0.65aw and moisture content action level is 15%. This report shall not be reproduced, unless in its entirety, without approval from Professional Testing Labs, Inc. Test results relate only to the sample material analyzed. Results valid for 1 year after test date.